0065543

Shaw™
Shaw E & I, Inc.

Geotechnical Laboratory
PO Box 4339
1570 Bear Creek Road
Oak Ridge TN 37830
(865) 482-6497

# *CERTIFICATE OF ANALYSIS*

Stephen Trent
Fluor Hanford, Inc.
825 Jadwin Avenue
Richland, Washington 99352

December 23, 2004

This is the Certificate of Analysis for the following samples:

| | |
|---|---|
| Shaw Project ID: | **Eberline - Hanford** |
| Shaw Project Number: | **100846.33000000** |
| Client Sample Data Group: | H2810 |
| Date Received by Lab: | November 10, 2004 |
| Number of Samples: | One (1) |
| Sample Type: | Soil |



## I. Introduction/Case Narrative

One soil sample was received by the Shaw Geotechnical Laboratory on November 10, 2004. The sample was submitted for determination of moisture content, bulk density, and sieve analysis. The sample number received was B191C1.

Please see Appendix A, Sample Number Cross Reference List; Appendix B, Analysis Results; and Appendix C, Chain-of-Custody/Sample Receipt Records.

"I certify that this data package is in compliance with the SOW, both technically and for completeness, for other than the conditions detailed above. Release of the data contained in this hardcopy data package has been authorized by the Laboratory Manager or a designee, as verified by the following signature."

Reviewed and Approved:

Ralph Cole
Laboratory Manager, Geotechnical Services

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

## II. Analytical Results/Methodology

REFERENCES: United States Army Corps of Engineers (USACE), Engineer Manual 1110-2-1906, *Laboratory Soils Testing*, appendix II, 1970; United States Environmental Protection Agency, SW846, *Test Methods for Examining Solid Waste, Physical/Chemical Methods*, 3rd ed., Nov 1986 (EPA SW-846). Annual Book of ASTM Standards, Section 4, Construction, Volume 04.08, *Soil and Rock (I)*, and Volume 04.09, *Soil and Rock (II)*, 2004. Shaw Environmental and infrastructure, Standard Operating Procedures.

Moisture Content of Soil and Rock..... **ASTM D 2216**
Bulk Density of Soils..... **EM 1110-2-1906**
Particle-size Analysis of Soils..... **ASTM D 422**

## III. Quality Control

Quality control checks such as duplicates and spikes (QC samples), are not normally applicable to geotechnical testing. This is due largely to the inability of obtaining samples with known characteristics, the heterogenous nature of the samples, and quality control procedures built-in to the analytical method.

QC measures to ensure accuracy and precision of test results include the following:

- 100% verification of all numerical results - raw data entries, transcriptions and calculations entered by lab technicians are checked, recalculated and verified. Most data calculations are performed by computer programs.

- Data validation through test reasonableness - summaries of all test results for individual reports are reviewed to determine the overall reasonableness of data and to determine the presence of any data that may be considered outliers.

- Quality control procedures are built into most standardized geotechnical procedures. For example, liquid limit and plastic limit analyses call for re-analyses and specify acceptance criteria.

- Routine instrument calibration - instruments, gauges and equipment used in testing are calibrated on a routine basis. All instrument calibration follows ASTM or manufacturer guidelines.

- Maintenance of all past calibration records - calibration records and certification documents of all instruments, gauges and equipment are updated routinely and maintained in the Quality Control Coordinators Quality/Operations files.

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

- Certified and trained personnel - all technicians are certified by the National Institute for Certification of Engineering Technicians (NICET) in geotechnical soil testing, and are trained in the application of standard laboratory procedures for geotechnical analyses as well as the quality assurance measures implemented by Shaw.

- Quantitative analyses frequently used in geotechnical/physical testing programs do not use QC tools common to wet chemistry or radiochemistry laboratories. Measures not employed in the analysis of samples reported in this report include: laboratory control samples (LCS), blanks, matrix spikes (MS), duplicate analyses, dilutions, digestions, correction factors, surrogate sample analyses, detection limit determinations, control charts, and/or tentatively identified compounds (TICs).

## IV. Data Qualification

None.

# Appendix A
# Sample Cross-Reference List

December 23, 2004
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.33000000
SDG No. H2810

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

## SAMPLE NUMBER CROSS-REFERENCE LIST

| LAB SAMPLE NO. | CLIENT SAMPLE NO. | MATRIX |
|---|---|---|
| BC0471 | B191C1 | Soil |

# Appendix B
# Sample Test Results

December 23, 2004
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.33000000
SDG No. H2810

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

# MOISTURE CONTENT

PROJECT NAME
**Eberline - Hanford**

PROJECT NUMBER
**100846.33000000**

| LAB SAMPLE NO. | CLIENT SAMPLE NO. | MOISTURE, % ASTM D 2216 | MOISTURE , % SW846 | SOLIDS, % SW846 |
|---|---|---|---|---|
| BC0471 | B191C1 | 2.9 | 2.9 | 97.1 |

ASTM D 2216 results are based on dry sample weight.
SW846 results are based on wet sample weight.
Solids content is determined by subtracting the SW846 moisture (%) from 100.

December 23, 2004
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.33000000
SDG No. H2810

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

# BULK DENSITY/DRY DENSITY
# EM-1110-2-1906, APPENDIX II

PROJECT NAME: **Eberline - Hanford**

PROJECT NUMBER: **100846.33000000**

| LAB SAMPLE NUMBER | CLIENT SAMPLE NUMBER | AVERAGE LENGTH, inches | AVERAGE DIAMETER, inches | WET WEIGHT, grams | MOISTURE CONTENT, % | BULK DENSITY, pcf | DRY DENSITY, pcf |
|---|---|---|---|---|---|---|---|
| BC0471 | BC0471 | 6.0070 | 3.8727 | 2127.86 | 3.3 | 114.6 | 110.9 |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

Moisture content calculated by ASTM D 2216 based on sample dry weight.
Bulk density is the weight of wet sample divided by the volume of the wet sample (as-received).
Dry density is the weight of the dry sample solids divided by the volume of the original sample.

December 23, 2004
Stephen Trent
Fluor Hanford, Inc.
Shaw Project Name: Eberline Hanford
Shaw Project No. 100846.33000000
SDG No. H2810

**Shaw Geotechnical Laboratory**
**Oak Ridge TN**
**(865) 482-6497**

# *PARTICLE-SIZE DISTRIBUTION*
# *ASTM D 422*

Project Name Eberline Hanford

Project No. 100846.33000000

Field Sample No. B191C1

Lab Sample No. BC0471

Moisture Content = 3.3%
based on dry sample weight

## *SIEVE ANALYSIS*

| | Sieve No. | Diameter mm | Percent Finer |
|---|---|---|---|
| COARSE | 3" | 75.000 | 100.0% |
| | 1.5" | 37.500 | 100.0% |
| | 0.75" | 19.000 | 100.0% |
| | 0.375" | 9.500 | 100.0% |
| | #4 | 4.750 | 98.2% |
| | #10 | 2.000 | 91.0% |

| | Sieve No. | Diameter mm | Percent Finer |
|---|---|---|---|
| FINE | #20 | 0.850 | 67.5% |
| | #40 | 0.425 | 28.1% |
| | #60 | 0.250 | 11.4% |
| | #100 | 0.149 | 5.6% |
| | #140 | 0.106 | 4.0% |
| | #200 | 0.075 | 3.0% |

## DISTRIBUTION CURVE




1.8% Gravel 95.2% Sand 3.0% Silt/Clay

00000009

# Appendix C
# Chain-of-Custody and Request-for-Analysis Records

| FLUOR Hanford Inc. | CHAIN OF CUSTODY/SAMPLE ANALYSIS REQUEST | F03-025-078 | PAGE 1 OF 1 |
|---|---|---|---|

| COLLECTOR | COMPANY CONTACT | TELEPHONE NO. | PROJECT COORDINATOR | PRICE CODE 8N | DATA TURNAROUND |
|---|---|---|---|---|---|
| Pope/Pfister/Wiberg/Tyra | TRENT, STEVE | 373-5689 | TRENT, SJ | AIR QUALITY ☐ | 45 Days / 45 Days |
| **SAMPLING LOCATION** | **PROJECT DESIGNATION** | | **SAF NO.** | | |
| 216-T-28; 32.5ft-35ft | 200-LW-1/LW-2 Characterization - Soil | | F03-025 | | |
| **ICE CHEST NO.** GRP-03-008 | **FIELD LOGBOOK NO.** HNF-N-356 1 | **COA** 119143ES10 | **METHOD OF SHIPMENT** Federal Express | | |
| **SHIPPED TO** Shaw Group | **OFFSITE PROPERTY NO.** SUPTR 14391 | | **BILL OF LADING/AIR BILL NO.** SUPTR 14391 | | |

MATRIX*
A=Air
DL=Drum Liquids
DS=Drum Solids
L=Liquid
O=Oil
S=Soil
SE=Sediment
T=Tissue
V=Vegitation
W=Water
WI=Wipe
X=Other

**POSSIBLE SAMPLE HAZARDS/ REMARKS**
N/A

SD GH H2810

**SPECIAL HANDLING AND/OR STORAGE**
~~N/A~~
Radioactive TLD: B191C9

| | | | |
|---|---|---|---|
| **PRESERVATION** | None | None | |
| **TYPE OF CONTAINER** | Moisture Resistant Cont | Liner | |
| **NO. OF CONTAINER(S)** | 1 | 1 | |
| **VOLUME** | 200mL | 1000mL | |
| **SAMPLE ANALYSIS** | Moisture Content - D2216; | SEE ITEM (1) IN SPECIAL INSTRUCTIONS 2783 g | |

| SAMPLE NO. | MATRIX* | SAMPLE DATE | SAMPLE TIME | [redacted] | | | BC 0471 | [redacted] |
|---|---|---|---|---|---|---|---|---|
| B191C1 | SOIL | 10-28-04 | 1405 | X | X | | | |

**CHAIN OF POSSESSION** / **SIGN/ PRINT NAMES**

| RELINQUISHED BY/REMOVED FROM | DATE/TIME | RECEIVED BY/STORED IN | DATE/TIME |
|---|---|---|---|
| JS Pope/A Glen | 10-28-04 1500 | Site Fridge | 10-28-04 1500 |
| Site Fridge | 11-1-04 1030 | JS Pope/A Glen | 11-1-04 1030 |
| J.S. Pope/A Glen | 11-1-04 1330 | MO-026 Fridge #2 | 11-1-04 1330 |
| MO-026 Fridge #2 | 11/2/04 0830 | MO-026 Fridge #3 | 11/2/04 0830 (1) |
| MO-026 Fridge #3 | 11/3/04 0825 | M.H. Barnhart M.G. Barnhart | 11/3/04 0825 |
| M.H. Barnhart M.G. Barnhart | 11/3/04 0825 | Fed Ex | |
| Fed Ex | 11/4/04 0945 | | 11/4/04 1605 |

**SPECIAL INSTRUCTIONS**

(1)Particle Size (Dry Sieve) - D422; Bulk Density - D2937;
① Rpt #2 failed. Moved split to Rpt #3
MHB 11/2/04

| | | | | |
|---|---|---|---|---|
| **LABORATORY SECTION** | RECEIVED BY | TITLE | DATE/TIME | |
| | Joel Abrahamson 11/4/04 | R50 | 11-10-04 0930 | |
| **FINAL SAMPLE DISPOSITION** | DISPOSAL METHOD | DISPOSED BY | DATE/TIME | |